



**MAX** SAFETY / **MAX** VALUE / **MAX** SAVINGS

# Dosage Rate Charts

## Auto Dosage Chart

Tyre Size	Dosage (ml)	Tyre Size	Dosage (ml)	Tyre Size	Dosage (ml)	Tyre Size	Dosage (ml)
<b>Wheel dia 12"</b>		<b>Wheel dia 14"</b>		<b>Wheel dia 15"</b>		<b>Wheel dia 15"</b>	
145/80 12	300	245/75 14	700	235/75 15	650	205/55 15	500
155/80 12	350	175/70 14	400	245/75 15	700	225/55 15	550
165/70 12	350	185/70 14	450	255/75 15	750	255/55 15	650
<b>Wheel dia 13"</b>		195/70 14	500	265/75 15	800	195/50 15	450
145/80 13	300	205/70 14	500	185/70 15	450	205/50 15	450
155/80 13	350	215/70 14	550	195/70 15	500	225/50 15	550
165/80 13	400	225/70 14	600	205/70 15	550	245/50 15	600
175/80 13	400	235/70 14	650	215/70 15	550	265/50 15	650
185/80 13	450	245/70 14	650	225/70 15	600	275/50 15	700
185/80 13	450	165/65 14	350	235/70 15	650	295/50 15	800
155/70 13	350	175/65 14	400	245/70 15	700	305/50 15	800
165/70 13	350	185/65 14	450	255/70 15	750	325/50 15	900
175/70 13	400	195/65 14	450	265/70 15	800	<b>Wheel dia 16"</b>	
185/70 13	450	215/65 14	550	285/70 15	850	325/85 16	1200
195/70 13	450	175/60 14	400	315/70 15	1000	215/85 16	650
205/70 13	500	185/60 14	400	185/65 15	450	235/85 16	750
165/65 13	350	195/60 14	450	195/65 15	500	255/85 16	850
195/65 13	450	205/60 14	500	205/65 15	500	155/80 16	400
185/60 13	400	215/60 14	500	215/65 15	550	185/75 16	500
195/60 13	450	225/60 14	550	225/65 15	600	195/75 16	550
205/60 13	450	235/60 14	600	235/65 15	650	225/75 16	650
215/60 13	500	245/60 14	600	255/65 15	700	235/75 16	700
235/60 13	550	225/60 14	650	185/60 15	450	245/75 16	750
215/50 13	450	265/60 14	700	195/60 15	450	265/75 16	850
235/50 13	500	275/60 14	750	205/60 15	500	285/75 16	950
245/50 13	550	255/55 14	650	215/60 15	550	235/70 16	650
<b>Wheel dia 14"</b>		245/50 14	550	225/60 15	550	245/70 16	700
175/75 14	400	265/50 14	650	235/60 15	600	255/70 16	750
185/75 14	450	<b>Wheel dia 15"</b>		245/60 15	650	265/70 16	800
195/75 14	500	195/75 15	500	255/60 15	700	275/70 16	850
205/75 14	550	205/75 15	550	265/60 15	700	305/70 16	1000
215/75 14	550	215/75 15	600	275/60 15	750	205/65 16	550
225/75 14	600	225/75 15	650	195/55 15	450	215/65 16	600

FULL TYRE LIFE / LONGER TIME UP / COOLER RUNNING / SUSTAINABLE AND ENVIRONMENTAL

## Auto Dosage Chart

Tyre Size	Dosage (ml)	Tyre Size	Dosage (ml)	Tyre Size	Dosage (ml)	Tyre Size	Dosage (ml)
<b>Wheel dia 16"</b>		<b>Wheel dia 17"</b>		<b>Wheel dia 18"</b>			
255/65 16	750	235/50 17	600	245/40 18	600		
205/60 16	500	255/50 17	700	255/40 18	650		
215/60 16	550	225/55 17	600	265/40 18	700		
225/60 16	600	235/55 17	650	275/40 18	750		
235/60 16	650	215/45 17	500	215/35 18	500		
255/60 16	700	225/45 17	550	245/35 18	600		
205/55 16	500	235/45 17	600	275/35 18	700		
215/55 16	550	245/45 17	600	285/35 18	750		
225/55 16	550	255/45 17	650	335/30 18	850		
235/55 16	600	315/45 17	900	<b>Wheel dia 19"</b>			
255/55 16	700	235/40 17	550	255/45 19	700		
205/50 16	500	245/40 17	600	255/40 19	700		
225/50 16	550	265/40 17	650	235/35 19	600		
235/50 15	600	275/40 17	700	245/35 19	600		
245/50 16	600	285/40 17	750	305/30 19	800		
255/50 16	650	285/35 17	700	<b>Wheel dia 20"</b>			
265/50 16	700	315/35 17	800	285/50 20	900		
275/50 16	750	335/35 17	850	275/40 20	800		
245/45 16	600	<b>Wheel dia 18"</b>		275/35 20	750		
265/45 16	650	275/75 18	950	245/35 20	650		
205/40 16	450	235/65 18	700				
<b>Wheel dia 17"</b>		225/60 18	650				
265/75 17	850	255/60 18	750				
235/70 17	700	255/55 18	750				
265/70 17	850	275/55 18	800				
285/70 17	900	285/55 18	850				
235/65 17	700	225/45 18	600				
215/65 17	600	235/45 18	600				
285/60 17	850	245/45 18	650				
275/60 17	800	255/45 18	700				
225/60 17	600	295/45 18	850				
205/50 17	500	225/40 18	550				
215/50 17	550	235/40 18	600				

FULL TYRE LIFE / LONGER TIME UP / COOLER RUNNING / SUSTAINABLE AND ENVIRONMENTAL

# Motorcycle Dosage Chart

Tyre Size	Dosage (ml)	Tyre Size	Dosage (ml)	Tyre Size	Dosage (ml)	Tyre Size	Dosage (ml)
<b>Wheel dia 10"</b>		<b>Wheel dia 15"</b>		<b>Wheel dia 16"</b>		<b>Wheel dia 17"</b>	
130/70*10	250	140/80*15M /C	400	150/80*16	450	110/80*17	300
120/90-10	250	150/80*15	450	160/80*16	500	120/80*17	350
130/90*10	300	160/80*15M /C	500	MR85-16	350	130/80*17	400
3.00-10	150	170/80*15M /C	500	MU85-16	400	140/80*17	450
3.50-10	200	190/80*15	600	100/90-16	250	150/80*17	450
<b>Wheel dia 11"</b>		MV85-15M/C	500	110/90-16	300	70/90-17	200
110/70*11	200	130/90-15	350	120/90-16	350	80/90-17	200
<b>Wheel dia 12"</b>		140/90-15M/C	400	130/90-16	400	90/90-17	250
120/70*12	250	150/90-15M/C	450	140/90-16	450	110/90-17	300
130/70*12	300	MU90-15M/C	400	MT90-16	400	120/90-17	350
120/80*12	300	MV90-15M/C	450	MU90-16	450	130/90-17	400
100/90*12	250	<b>Wheel dia 16"</b>		90/100*16	250	60/100*17	150
110/90*12	250	2.50-16	150	<b>Wheel dia 17"</b>		MS90-17	400
110/100*12	250	3.00-16	200	3.00-17	200	MT90-17	400
<b>Wheel dia 13"</b>		3.50-16	250	3.25-17	250	<b>Wheel dia 18"</b>	
130/60*13	300	5.00-16	400	3.50-17	250	2.75-18	200
130/70*13	300	195/50R16	550	4.50-17	350	3.00-18	200
150/70*13	400	240/50R16	750	300/40R17	950	3.50-18	250
110/90*13	250	130/60*16	350	190/50R17	550	4.00-18	300
<b>Wheel dia 14"</b>		160/60*16	450	200/50R17	600	4.10-18	300
3.00-14	200	180/60*16	500	180/55*17	550	4.25-18	350
140/60-14	350	200/60*16	600	120/60*17	300	4.50-18	350
160/60*14	400	110/70*16	300	130/60*17	350	4.60-18	400
120/70*14	300	120/70*16	300	150/60*17	450	360/35*18	1200
150/70*14	400	130/70*16	350	160/60*17	450	330/35*18	1050
120/80*14	300	140/70*16	400	170/60*17	500	300/30*18	900
180/80*14	550	170/70*16	500	190/60*17	600	300/35*R18	950
60/100*14	150	180/70*16	550	110/70*17	300	240/40*18	750
80/100-14	200	M80/80*16	200	120/70*17	350	250/40*18	750
90/100*14	250	100/80*16	250	130/70*17	350	180/55*18	550
<b>Wheel dia 15"</b>		110/80-60	300	140/70*17	400	200/55*18	650
230/60*15	700	120/80*16	350	150/70*17	450	150/60*18	450
120/70*15	300	130/80*16	350	160/70*17	500	160/60*18	500
180/70*15	550	140/80*16	400	100/80*17	300	170/60*18	550

FULL TYRE LIFE / LONGER TIME UP / COOLER RUNNING / SUSTAINABLE AND ENVIRONMENTAL

## Motorcycle Dosage Chart

Tyre Size	Dosage (ml)	Tyre Size	Dosage (ml)	Tyre Size	Dosage (ml)	Tyre Size	Dosage (ml)
<b>Wheel dia 18"</b>		<b>Wheel dia 19"</b>					
120/70*18	350	120/70*19	350				
130/70*18	400	100/80*19	300				
140/70*18	450	110/80*19	350				
150/70*18	450	120/80-19	400				
110/80*18	350	90/90-19	250				
120/80*18	350	100/90-19	300				
130/80*18	400	110/90-19	350				
140/80*18	450	MJ90-19	300				
150/80*18	500	ML90-19	300				
90/90-18	250	MM90-19	300				
MP85-18	350	70/100*19	200				
MT85-18	400	<b>Wheel dia 20"</b>					
90/90-18	250	3.00-20	250				
100/90-18	300	275/55-20	1050				
110/90-18	350	<b>Wheel dia 21"</b>					
120/90-18	400	2.75-21	200				
130/90-18	400	3.00-21	250				
ML90-18	350	70/100*21	200				
MM90-18	350	80/100-21	250				
MN90-18	400	80/90-21	250				
MP90-18	400	90/90-21	300				
MR90-18	400	MH90-21	200				
MJ90-18	250	MH120-70-21	400				
80/100*18	250						
100/100*18	300						
110/100*18	350						
120/100*18	400						
<b>Wheel dia 19"</b>							
2.5-19	200						
3.00-19	250						
3.25-19	250						
3.50-19	250						
4.00-19	350						
4.10-19	350						

FULL TYRE LIFE / LONGER TIME UP / COOLER RUNNING / SUSTAINABLE AND ENVIRONMENTAL

# Heavy Duty On Road Dosage Chart

Tyre Size	Dosage (ml)	Tyre Size	Dosage (ml)	Tyre Size	Dosage (ml)	Tyre Size	Dosage (ml)
<b>Wheel dia 8"</b>		<b>Wheel dia 15"</b>		<b>Wheel dia 16.5"</b>		<b>Wheel dia 18"</b>	
4.80-8	250	G78-15 TR	750	9.50-16.5 LT	1000	275/70 18 LT	1100
4.80/4.00-8	250	H78-15 TR	850	1000-16.5 LT	1100	275/65 18 LT	1050
4.8/4.40-8 TR	250	6.70-15 LT	550	12.00-16.5 LT	1450	285/65 18 LT	1100
5.70-8	350	7.00-15 LT	600	36X15.5-16.5 LT	1700	325/65 18 LT	1350
<b>Wheel dia 12"</b>		7.50-15	700	37X12.5-16.5 LT	1400	315/60 18 LT	1250
4.80-12	300	7.75-15	700	38X15.5-16.5 LT	1800	305/55 18 LT	1150
ST145/R12	350	8.25-15	800	<b>Wheel dia 17"</b>		35X12.5-18LT	1300
26X11-12	850	8.55-15	850	235/80 17LT	900	<b>Wheel dia 19.5"</b>	
<b>Wheel dia 13"</b>		9.00-15	900	245/75 17 LT	900	8.00-19.5	850
6.50-13 TR	500	10.00-15	1050	245/70 17 LT	900	15.00-19.5	2250
A78-13 TR	500	11.00-15	1250	315/70 17 LT	1300	16.5-19.5	2600
B78-13 TR	550	29X9.5-15 LT	850	275/65 17 LT	1000	18.00-19.5	3000
C78-13 TR	550	30X9.5-15 LT	850	265/65 7 LT	950	19.50-19.5	3450
155/80 13 TR	400	31X10.5-15 LT	1000	355/65 17 LT	900	445/65 19.5	2250
175/80 13 TR	500	31X11.5-15 LT	1100	245/65 17 LT	850	225/70 19.5	850
185/80 13 TR	550	32X11.5-15 LT	1100	305/60 LT	1150	245/70 19.5	950
<b>Wheel dia 14"</b>		32X14-15	1350	35X12.50-17 LT	1300	265/70 19.5	1050
E78-14 TR	600	33X12.5-15LT	1250	35X13-17 LT	1350	285/70 19.5	1200
F78-14 TR	600	35X12.5-15 LT	1300	37X12.5-17 LT	1400	305/70 19.5	1300
G78-14 TR	700	35X14-15 LT	1500	37X13-17 LT	1450	<b>Wheel dia 20"</b>	
H78-14 TR	750	36X14.5-15 LT	1600	<b>Wheel dia 17.5"</b>		7.50-20	800
F70-14 TR	650	205/75 15 LT	650	215/75 17.5 LT	750	8.25-20	900
H-70-14 TR	750	225/75 15 TR	750	235/75 17.5 TR	900	9.00-20	1050
205/75 14 TR	650	325/60 LT	1150	245/70 17.5 TR	300	10.00-20	1200
215.75 14 TR	700	<b>Wheel dia 16"</b>		8.00-17.5 HC	800	11.00-20	1400
27X8.5-14	700	6.5-16 LT	550	8.50-17.5	900	11.50-20	1500
<b>Wheel dia 14.5"</b>		7.00-16	650	9.00-17.5 HC	950	12.00-20	1600
7-14.5 MH	600	7.50-16 LT	700	9.50-17.5	1050	12.50-20	1700
8-14.5MH	750	325/80 16 LT	1400	10.00-17.5 HC	1150	13.00-20	1800
9-14.5 MH	900	315/75 16 LT	1300	11.00-17.5 HC	1300	14.00-20	2050
<b>Wheel dia 15"</b>		<b>Wheel dia 16.5"</b>		14.00-17.5 HC	1900	14.50-20	2150
E78-15 TR	600	8.00-16.5 LT	800			14.75/80 20	2200
F78-15 TR	750	8.75-16.5 LT	900			15.5/80 20	2400

FULL TYRE LIFE / LONGER TIME UP / COOLER RUNNING / SUSTAINABLE AND ENVIRONMENTAL

# Heavy Duty On Road Dosage Chart

Tyre Size	Dosage (ml)	Tyre Size	Dosage (ml)	Tyre Size	Dosage (ml)	Tyre Size	Dosage (ml)
<b>Wheel dia 20"</b>		<b>Wheel dia 22.5"</b>		<b>Wheel dia 24"</b>			
16.00-20	2500	12.00-22.5	1700	11.00-24	1550		
13/80-20	1600	12.5-22.5	1800	12.00-24	1750		
365/80 20	1850	12.75-22.5	1850	13.00-24	1950		
395/85 20	2200	13.00-22.5	1900	14.00-24	2200		
405/85 20	2250	15.00-22.5	2400	16.00-24	2700		
275/60 20 LT	1100	16.50-22.5	2750	<b>Wheel dia 24.5"</b>			
325/60 20 LT	1350	18.00-22.5	3200	11.00-24.5	1550		
275/55 20 LT	1050	445/45 22.5	2000	12.00-24.5	1750		
265/50 20	950	455/45 22.5	2100	13.50-24.5	2100		
285/50 20	1050	495/45 22.5	2350	275/80 24.5	1350		
305/50 20 LT	1150	445/50 22.5	2100	285/75 24.5	1400		
325/50 20 LT	1250	445/55 22.5	2200	305/75 24.5	1550		
295/45 20	1050	455/55 22.5	2300	<b>Wheel dia 25"</b>			
295/45 20 LT	1050	385/65 22.5	1950	11.00-25	1550		
245/40 20	800	425/65 22.5	2250	12.00-25	1800		
295/40 20	1050	445/65 22.5	2400	14.00-25	2250		
305/40 20 LT	1050	255/70 22.5	1100				
<b>Wheel dia 21"</b>		275/70 22.5	1250				
12.00-21	1650	305/70 22.5	1450				
14.00-21	2050	245/75 22.5	1100				
16.00-21	2550	265/75 22.5	1200				
24.00-21	5000	295/75 22.5	1400				
<b>Wheel dia 22"</b>		305/75 22.5	1450				
9.00-22	1100	235/80 22.5	1050				
10.00-22	1250	255/80 22.5	1150				
11.00-22	1450	275/80 22.5	1300				
325/40 22 LT	1150	295/80 22.5	1450				
305/45 22 LT	1200	315/80 22.5	1600				
<b>Wheel dia 22.5"</b>		365/80 22.5	1950				
8.00-22.5	950	<b>Wheel dia 23"</b>					
9.00-25.5	1100	305/40 23 LT	1200				
10.00-22.5	1300	<b>Wheel dia 24"</b>					
11.00-22.55	1500	10.00-24	1350				

FULL TYRE LIFE / LONGER TIME UP / COOLER RUNNING / SUSTAINABLE AND ENVIRONMENTAL

# Heavy Duty Off Road Dosage Chart

Tyre Size	Dosage (ml)	Tyre Size	Dosage (ml)	Tyre Size	Dosage (ml)	Tyre Size	Dosage (ml)
<b>Wheel dia 4"</b>		<b>Wheel dia 8"</b>		<b>Wheel dia 8"</b>		<b>Wheel dia 10"</b>	
2.80-4	200	4.00-8	450	22X10-8	1500	18X8.00-10	1000
9X3.50-4	200	5.00-8	600	22X11.00-8	1650	18X8.50-10	1050
4.10-4	350	5.30-8	650	22X12-8	1800	18X9.50-10	1150
11X4.000-4	300	5.70-8	750	22.5X10.00-8	1550	18X10-10	1200
12X5.00-4	400	16X5.50-8	600	23X10-8	1550	18X10.50-10	1300
<b>Wheel dia 5"</b>		16X6-8	650	<b>Wheel dia 9"</b>		18X11-10	1350
3.40 - 5	250	16X6.5-8	700	4.00-9	450	19X6-10	750
3.40/3.00 - 5	250	16.5X6.50-8	750	5.30-9	700	20X7-10	950
4.10-5	350	16X7.50-8	800	6.00-9	850	20X7.50-10	1000
11X4.00-5	300	18X6.50-8	800	6.90-9	1050	20X8-10	1100
11X6.00-5	450	18X7-8	850	18X11-9	1350	20X10-10	1350
<b>Wheel dia 6"</b>		18X7.50-8	900	20X7-9	950	20X11-10	1500
4.00-6	400	18X8.50-8	1050	20X10-9	1350	20X12.00-10	1650
4.10-6	400	18X9-8	1100	20X11-9	1500	20.5X8.0-10	1100
4.10/3.50-6	400	18X9.50-8	1150	21X8-9	1150	21X7-10	1000
5.30/4.50-6	600	18X10-8	1200	21X9-9	1300	21X8-10	1150
5.30-6	600	18X11-8	1350	21X11-9	1550	21X9-10	1300
8.00-6	1200	18.5X8.50-8	1050	22X7-9	1050	21X10-10	1450
13X5.00-6	450	19X7-8	900	22X8-9	1200	21X11.00-10	1550
13X6.00-6	550	19X8-8	1050	22X10-9	1500	22X7-10	1050
13X6.50-6	550	19X9-8	1150	22X11-9	1650	22X8.00-10	1200
14X4.50-6	450	19X9.5-8	1250	23X11-9	1700	22X9-10	1350
14X8-6	750	20X7-8	950	24X13-9	2100	22X9.50-10	1400
15X5.00-6	500	20X8.00-8	1100	25X11-9	1850	22X10-10	1500
15X6.00-6	600	20X9-8	1200	25X12-9	2050	22X11-10	1650
15X6.50-6	650	20X10-8	1350	25X13-9	2200	23X7-10	1100
15X7-6 ATV	700	20X11-8	1500	<b>Wheel dia 10"</b>		23X8-10	1250
145/70-6	550	21X9-8	1300	6.50-10	1000	23X9-10	1400
<b>Wheel dia 7"</b>		21X10-8	1450	7.50-10	1250	21X10-10	1550
16X8-7	850	21X11.00-8	1550	9.00-10	1700	24X95-10	1550
17X7-7	800	21X12.00-8	1700	15L-10	4100	24X10.00-10	1700
18X8-7	1000	22X9-8	1350	205/50-10	1000	24X11.00-10	1800

FULL TYRE LIFE / LONGER TIME UP / COOLER RUNNING / SUSTAINABLE AND ENVIRONMENTAL



# Heavy Duty Off Road Dosage Chart

Tyre Size	Dosage (ml)	Tyre Size	Dosage (ml)	Tyre Size	Dosage (ml)	Tyre Size	Dosage (ml)
<b>Wheel dia 10"</b>		<b>Wheel dia 12"</b>		<b>Wheel dia 14"</b>		<b>Wheel dia 15"</b>	
24X11.50-10	1900	23X8.50-12	1350	7.00-14	1350	25X7.50-15	1250
24X12.00-10	1950	13X9.50-12	1500	7.50-14	1500	25X10.50-15	1800
25X8-10	1350	13X10-12	1550	8.5L-14	1800	25X12.50-15	2100
25X11-10	1850	23X10.50-12	1650	9.5L-14	2150	27X8.50-15	1550
25X12-10	2050	23.5X8.50-12	1350	11L-14	2700	27X9.50-15	1750
27X9-10	1650	23.5X11-12	1750	23XX8.50-14	1350	27X10.50-15	1950
27X1510	2750	24X8-12	1300	24X8.50-14	1400	28X9-15	1700
<b>Wheel dia 11"</b>		24X9-12	1450	25X8.50-14	1450	28X12-15	2300
22X7-11	1050	24X9.50-12	1550	27X9R14	1650	28X13-15	2450
23X8-11	1250	24X10.50-12	1700	27X11R14	2000	29X8-15	1600
23X9-11	1400	24X11-12	1800	<b>Wheel dia 15"</b>		29X12.50-15	2450
23.5X8-11	1300	24X12-12	1950	2.5-12	350	29X14.00-15	2750
24X8-11	1300	24X13.00-12	2100	3.00-15	450	30X8-15	1650
24X9-11	1450	25X8-12	1350	4.00-15	650	31X12.5-15	2650
24X10-11	1650	25X10-12	1700	5.00-15	850	31X3.5-15	2850
24.5X8-11	1350	25X11-12	1850	5.70-15	1000	31X15.5-15	3250
25X8-11	1350	26X8-12	1400	5.90-15	1050	32X12-15	2600
25X10-11	1700	26X10-12	1750	6.00-15	1100	32X15-15	3250
<b>Wheel dia 12"</b>		26X10.5-12	1850	6.40-15	1200	33X12.50-15	2800
4.00-12	550	26X11-12	1950	6.70-15	1300	35X15-15	3550
4.80-12	700	26X12-12	2100	7.00-15	1400	36X11-15	2700
5.00-12	750	26.5X14.00-12	2500	7.50-15	1550	36X13.50-15	3300
5.30-12	800	27X9-12	1650	7.60-15	1550	38X16-15	4150
5.70-12	900	27X10-12	1850	8.25-15	1750	8.5/90-15	1750
6.00-12	1000	27X11-12	2000	9.00-15	2000	215/70-15	1550
7.00-12	1250	27X12-12	2200	9.5L-15	2200	260/65-15	1950
205/80-12	1350	<b>Wheel dia 13"</b>		10.00-15	2400	390/60-15	3500
255/65-12	1700	6.00-13	1000	11.00-15	2750	<b>Wheel dia 16"</b>	
270/60-12	1800	185/80-13	1200	12.5L-15	3400	4.50-16	750
22X7.50-12	1100	215/50 13	1250	14.50-15	4350	5.50-16	1000
22X9.50-12	1400	<b>Wheel dia 14"</b>		250-15	2300	6.00-16	1150
23X8-12	1250	6.00-14	1050	300-15	3100	6.50-16	1300

FULL TYRE LIFE / LONGER TIME UP / COOLER RUNNING / SUSTAINABLE AND ENVIRONMENTAL

## Heavy Duty Off Road Dosage Chart

Tyre Size	Dosage (ml)	Tyre Size	Dosage (ml)	Tyre Size	Dosage (ml)	Tyre Size	Dosage (ml)
<b>Wheel dia 16"</b>		<b>Wheel dia 16.5"</b>		<b>Wheel dia 20"</b>		<b>Wheel dia 21"</b>	
7.00-16	1450	10-16.5	2500	7.50-20	1800	12.00-21	3650
7.2-16	1500	12-16.5	3300	8.25-20	2050	14.00-21	4650
7.50/8.00-16	750	265/70-16.5	2200	8.50-20	2150	16.00-21	5750
7.50-16	1600	305/70-16.5	2700	9.00-20	2300	<b>Wheel dia 22"</b>	
8.00-16	1750	330/55-16.5	2700	9.50-20	2500	7.50-22	1900
8.3-16	1850	395/55-16.5	3550	10.00-20	2700	<b>Wheel dia 22.5"</b>	
9.00-16	2100	<b>Wheel dia 17"</b>		10.00/10.5-20	2700	9-22.5	2500
9.5-16	2250	37X12.50X17	3150	11.00-20	3150	10-22.5	2900
10.00-16	2450	<b>Wheel dia 17.5"</b>		11.2-20	3250	11-22.5	3350
11.00-16	2850	355/70-17.5	3500	12.00-20	3600	12-22.5	3800
11.2-16	2900	14-17.5	4350	12.4-20	3750	13-22.5	4300
12L-16	3250	36X16-17.5	3900	12.5-20	3800	41/18LL 22.5	5000
12.4-16	3450	<b>Wheel dia 18"</b>		13.00-20	4050	700/50 22.5	9350
12.5L-16	3500	4.00-18	700	13.6-20	4350	710/45 22.5	9050
13.6-16	4000	7.50-18	1700	14.00-20	4550	385/65-22.5	4350
80/75 16	450	10.5/80-18	2500	260/80 20	2550	445/65-22.5	5400
240/70 16	1900	12.5-18	3650	275/80 20	2750	<b>Wheel dia 24"</b>	
320/65 16	2750	12.5/80-18	3250	335/80 20	3700	7.50-24	2000
275/60 16	2150	15.0/55-18	3500	375/75 20	4250	8.3-24	2300
<b>Wheel dia 16.1"</b>		275/80 18	2600	425/75 20	5150	9.00-24	2550
13.50-16.1	3950	335/80 18	3500	380/70 20	4150	9.5-24	2800
14L-16.1	4200	320/65 18	2950	405/70 20	4600	10.00-24	3000
14L-16.1	4200	340/65 18	3200	420/65 20	4650	11.00-24	3450
14.5/75-16.1	3750	<b>Wheel dia 19"</b>		38X14.00-20	3600	11.2-24	3550
16.5L-16.1	5500	4.00-19	750	38X18.00-20	4650	11.25-24	3550
16.5L-16.1	5500	260/80 19	2450	38X20.00-20	5150	12.00-24	3900
18.4-16.1	6600	<b>Wheel dia 19.5"</b>		41X14.00-20	3900	12.4-24	4100
19L-16.1	7000	15-19.50	5050	42X25.00-20	7150	13.00-24	4400
<b>Wheel dia 16.1"</b>		33/16LL500	3600	44X18.00-20	5400	13.6-24	4750
21.5L-16.1	8650	18-19.5	6800	44X41.00 20	12250	14.00-24	4950
38X20.00-16.1	5150	385/65-19.5	4050	48X25.00-20	8150	14.9-24	5450
		40X19-19.5	5150	48X31.00-20	10100	15.5-24	5800

FULL TYRE LIFE / LONGER TIME UP / COOLER RUNNING / SUSTAINABLE AND ENVIRONMENTAL

## Heavy Duty Off Road Dosage Chart

Tyre Size	Dosage (ml)	Tyre Size	Dosage (ml)	Tyre Size	Dosage (ml)	Tyre Size	Dosage (ml)
<b>Wheel dia 24"</b>		<b>Wheel dia 25"</b>		<b>Wheel dia 28"</b>		<b>Wheel dia 30"</b>	
16.00-24	6100	26/65-25	9750	11.2-28	3850	480/70 30	7250
16.9-24	6650	30/65-25	13050	11.25-28	3850	540/65 30	8300
17.5L-24	7000	355/55-25	2500	12.4-28	4450	67X34.00-30	15500
18.4-24	7600	800/50-25	12100	13.6-28	5100	<b>Wheel dia 32"</b>	
19.5L-24	8350	1000/50 25	17200	14.9-28	5850	9.5-32	3300
21L-24	9400	1050/50 25	18650	16.8-28	7050	12.4-32	4800
280/85 24	3200	54X37.00-25	13550	16.9-28	7100	24.5-32	13500
320/70 24	3550	66X43.00-25	19300	18.4-28	8100	30.5L-32	19250
320/75 24	3650	66X44.00-25	19750	19.5L-28	8900	35.5L-32	24850
360/70 24	4200	67X34.00-25	15500	21L-28	10000	650/75 32	12250
380/70 24	4550	<b>Wheel dia 26"</b>		420/70 28	5750	680/75 32	13100
420/70 24	5300	13.6-26	4900	480/70 28	7000	800/65 32	15600
440/65 24	5450	14.9-26	5650	4400/65 28	5950	1050/50 32	20600
445/70 24	5800	16.9-26	6850	480/65 28	6750	68X50.00 32	23100
480/65 24	6250	1800-26	7600	540/65 28	8050	VA73X44.00-32	21800
495/70 24	6800	18.4-26	7850	600/65 28	9400	76X50.00 32	25800
540/65 24	7450	21.1-26	11350	<b>Wheel dia 29"</b>		78X45.00-32	23850
48X20.00-24	6500	28L-26	15600	24.00-29	12550	<b>Wheel dia 33"</b>	
<b>Wheel dia 24.5"</b>		580/70 26	9000	26.50-29	14750	18.00-33	8450
12-24.5	3950	620/70 26	10000	29.50-29	17650	21.00-33	10700
<b>Wheel dia 25"</b>		620/75 26	10400	30/65-29	18550	24.00-33	13200
13.00-25	4500	540/65 26	7750	33.25-29	21550	27.00-33	15950
15.50-25	5900	750/65 26	12900	<b>Wheel dia 30"</b>		29.50-33	18450
16.00-25	6200	54X31.00-26	11350	7.2-30	2150	33.50-33	22750
17.50-25	7150	57X31.00-26	12000	7.50-15 30	2300	35/65-33	18650
18.00-25	7450	66X43.00-26	19300	14.9-30	6050	37.50-33	27500
20.50-25	9200	67X34.00-26	15500	16.9-30	7300	DH73X44.00-33	21800
21.00-25	9550	<b>Wheel dia 26.5"</b>		18.0-30	8050	<b>Wheel dia 34"</b>	
23.50-25	11500	600/55-26.5	8400	18.4-30	8350	14.9-34	6450
24.00-25	11900	700/50-26.5	10100	23.1-30	11950	16.9-34	7800
26.50-25	14050	<b>Wheel dia 28"</b>		420/90 30	6700	18.4-34	8850
29.50-25	16850	9.5-28	3050	620/75 30	11050	20.8-34	10700

FULL TYRE LIFE / LONGER TIME UP / COOLER RUNNING / SUSTAINABLE AND ENVIRONMENTAL

## Heavy Duty Off Road Dosage Chart

Tyre Size	Dosage (ml)	Tyre Size	Dosage (ml)	Tyre Size	Dosage (ml)	Tyre Size	Dosage (ml)
<b>Wheel dia 34"</b>		<b>Wheel dia 38"</b>		<b>Wheel dia 45"</b>		<b>Wheel dia 56.5"</b>	
23.1-34	12600	15.5-38	7250	45/65-45	31650	27-56.6	20250
290/95 34	4300	16.9-38	8250	<b>Wheel dia 46"</b>		30-56.5	23750
320/85 34	4750	18.4-28	9350	12.4-46	5950	<b>Wheel dia 57"</b>	
380/85 34	6050	20.8-38	11250	13.6-46	6750	37.00-57	32950
385/85 34	6150	320/85 38	5100	14.9-46	7650	40.00-57	37250
420/85 34	7000	380/80 38	6300	18.4-46	10350	46/90-57	43700
620/75 34	11700	580/70 38	10850	320/90 46	5900	48/95-57	48350
650/75 34	12600	620/70 38	11950	380/90 46	7400	50/90-57	49950
710/75 34	14400	710/70 38	14650	520/85 46	11250	<b>Wheel dia 59.5"</b>	
480/70 34	7750	540/65 38	9500	420/80 46	8150	33-59.5	28150
540/65 34	8900	600/65 38	11050	480/80 46	9800	36-59.5	32150
600/65 34	10400	650/65 38	12400	<b>Wheel dia 48"</b>		39-59.5	36450
700/55 34	12050	<b>Wheel dia 39"</b>		270/95 48	4900	<b>Wheel dia 63"</b>	
<b>Wheel dia 35"</b>		33.50-39	24100	230/95 48	4000	55/80R63	56400
21.00-35	11000	37.50-39	29050	<b>Wheel dia 49"</b>			
24.00-35	13550	40/65-39	24750	18.00-49	10400		
29.50-35	18850	40.5/75-39	27450	21.00-49	13000		
33.25-35	22950	41.25/70-39	27100	24.00-49	15800		
37.25-35	27700	<b>Wheel dia 40"</b>		27.00-49	18900		
<b>Wheel dia 36"</b>		180/95 40	2550	<b>Wheel dia 50"</b>			
9.5-36	3550	230/95 40	3500	320/90 50	6200		
11.2-36	4450	<b>Wheel dia 42"</b>		480/80 50	10300		
12.4-36	5100	9.5-42	3950	<b>Wheel dia 51"</b>			
13.6-36	5850	12.4-42	5650	30.00-51	22600		
13.9-36	6000	18.4-42	9850	33.00-51	26250		
230/95 36	3250	20.8-42	11800	36.00-51	30100		
270/95 36	4050	320/90 42	5550	37.50-51	32100		
<b>Wheel dia 38"</b>		520/85 42	10700	50/65-51	45750		
11.2-38	4600	620/70 42	12650	<b>Wheel dia 54"</b>			
12.4-38	5300	710/65 42	14900	270/95 54	5350		
13.6-38	6000	650/65 42	13100	320/90 54	6550		
14.9-38	6850	900/50 42	18650				

FULL TYRE LIFE / LONGER TIME UP / COOLER RUNNING / SUSTAINABLE AND ENVIRONMENTAL